

Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name ANSULITE 3x6 AR-AFFF (A364)

1. Identification

1.1. Product Identifier

Product name ANSULITE 3x6 AR-AFFF (A364)

1.2. Other means of identification

Product code 443132 Synonyms None

Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent.

Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products

One Stanton Street Marinette, WI 54143-2542 Telephone: 715-735-7411

Contact point Product Stewardship at 1-715-735-7411

E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 001-800-424-9300 or 001-703-527-3887

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation - Category 2A

2.2. Label Elements

Signal Word

WARNING

Hazard Statements

Causes serious eye irritation



Precautionary Statements



/ **Product name** ANSULITE 3x6 / AR-AFFF (A364)

PAGE 2/9

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

3. Composition/information on Ingredients

3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
2-(2-Butoxyethoxy)ethanol	112-34-5	5 - 10
Lauryl Imino Propionate, Sodium Salt	14960-06-6	1 - 5

4. First aid measures

4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately

if symptoms occur.).

Ingestion Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison

control center or physician immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

5.1. Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

None known.



/ Product name ANSULITE 3x6 / AR-AFFF (A364)

PAGE 3/9

Hazardous Combustion

Products

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

5.4. Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

6.2. Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and

safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure guidelines

Exposure guidennes				
Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
2-(2-Butoxyethoxy)ethanol	TWA: 10 ppm inhalable	-	-	-
112-34-5	fraction and vapor			

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health



Product name ANSULITE 3x6 / AR-AFFF (A364)

PAGE 4/9

8.2. Appropriate Engineering Controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Odor Characteristic Color Yellow

Odor Threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7

Melting point/freezing pointNo data availableBoiling point / boiling rangeNo data availableFlash PointNo data availableEvaporation RateNo data availableFlammability (solid, gas)No data available

Flammability limit in air

No data available Upper flammability limit: No data available Lower flammability limit: Vapor Pressure No data available Vapor Density No data available No data available Specific gravity No data available Water Solubility Solubility in Other Solvents No data available Partition coefficient No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available

Kinematic viscosity

No data available

VOC content (%) 8.02991 **Density** 1.00

10. Stability and Reactivity



Product code 443132

Product name ANSULITE 3x6 AR-AFFF (A364)

PAGE 5/9

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information

No data available. Inhalation

Eve Contact Severely irritating to eyes.

No data available. Skin contact

Ingestion No data available.

Component Information

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-(2-Butoxyethoxy)ethanol	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
112-34-5			

11.2. Information on Toxicological Effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation Severely irritating to eyes. Carcinogenicity No information available. Reproductive Toxicity No information available. STOT - Single Exposure No information available. STOT - Repeated Exposure No information available. **Aspiration Hazard** No information available.



Product name ANSULITE 3x6 / AR-AFFF (A364)

PAGE 6/9

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 31439 mg/kg

 ATEmix (dermal)
 33954 mg/kg

12. Ecological Information

12.1. Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-(2-Butoxyethoxy)ethanol	EC50 (96h) > 100 mg/L	LC50 (96h) static = 1300 mg/L	EC50 (48h) > 100 mg/L Daphnia
112-34-5	Desmodesmus subspicatus	Lepomis macrochirus	magna EC50 (24h) = 2850 mg/L
			Daphnia magna
n-Butanol	EC50 (96h) > 500 mg/L	LC50 (96h) static = 1910000 μg/L	EC50 (48h) Static 1897 - 2072
71-36-3	Desmodesmus subspicatus EC50		mg/L Daphnia magna EC50 (48h) =
	(72h) > 500 mg/L Desmodesmus	static 1730 - 1910 mg/L	1983 mg/L Daphnia magna
	subspicatus	Pimephales promelas LC50 (96h)	
		flow-through = 1740 mg/L	
		Pimephales promelas LC50 (96h)	
		static 100000 - 500000 µg/L	
		Lepomis macrochirus	
Polyethylene Glycol	-	LC50 (24h) > 5000 mg/L Carassius	-
25322-68-3		auratus	
Sodium Hydrogen Carbonate		LC50 (96h) static 8250 - 9000 mg/L	EC50 (48h) = 2350 mg/L Daphnia
144-55-8	linearis	Lepomis macrochirus	magna
Hexamethylenetetramine	-	LC50 (96h) flow-through 44600 -	EC50 (48h) 29868 - 43390 mg/L
100-97-0		55600 mg/L Pimephales promelas	Daphnia magna
Methylene chloride	EC50 (72h) > 500 mg/L	LC50 (96h) static = 193 mg/L	EC50 (48h) Static 1532 - 1847
75-09-2	Pseudokirchneriella subcapitata		mg/L Daphnia magna EC50 (48h) =
	EC50 (96h) > 500 mg/L	flow-through = 193 mg/L Lepomis	190 mg/L Daphnia magna
	Pseudokirchneriella subcapitata	macrochirus LC50 (96h) static 262	
		- 855 mg/L Pimephales promelas	
		LC50 (96h) flow-through 140.8 -	
		277.8 mg/L Pimephales promelas	
1,3-Dichloropropene	EC50 (96h) 2.45 - 6.45 mg/L	LC50 (96h) semi-static = 4.5 mg/L	EC50 (48h) Static 0.063 - 0.129
542-75-6	Pseudokirchneriella subcapitata		mg/L Daphnia magna EC50 (48h) =
	EC50 (72h) 3.12 - 10.5 mg/L	= 2 mg/L Oncorhynchus mykiss	0.09 mg/L Daphnia magna
	Pseudokirchneriella subcapitata	LC50 (96h) static 1.52 - 2.68 mg/L	
		Pimephales promelas LC50 (96h)	
		static 5.1 - 6.8 mg/L Lepomis	
		macrochirus LC50 (96h) static 3.1 -	
		4.9 mg/L Oncorhynchus mykiss	
		LC50 (96h) flow-through 0.211 -	
		0.271 mg/L Pimephales promelas	

12.2. Persistence and Degradability

Chemical Oxygen Demand (mg/L)

 Concentrate
 250,000

 3% Solution
 7,300

 6% Solution
 14,000

Concentrate Biological Oxygen Demand (mg/L)

Revision date 18-Jan-2019 Version 9



/ Product name ANSULITE 3x6 / AR-AFFF (A364)

PAGE 7/9

Biological Oxygen Demand (5 Day) %BOD/COD	50000 20
Biological Oxygen Demand (10 Day)	150000
%BOD/COD	60
Biological Oxygen Demand (15 Day)	160000
%BOD/COD	64
Biological Oxygen Demand (20 Day)	180000
%BOD/COD	72

3% Solution Biological Oxygen Demand (mg/L)

o condition biological exjagni beinand (mg/b)	_
Biological Oxygen Demand (5 Day)	1300
%BOD/COD	17.81
Biological Oxygen Demand (10 Day)	4300
%BOD/COD	58.90
Biological Oxygen Demand (15 Day)	4600
%BOD/COD	63.01
Biological Oxygen Demand (20 Day)	5100
%BOD/COD	69.86

6% Solution Biological Oxygen Demand (mg/L)

•	O O I O I O I O I O I O I O I O I O I O	
	Biological Oxygen Demand (5 Day)	2800
	%BOD/COD	20
	Biological Oxygen Demand (10 Day)	8800
	%BOD/COD	62.86
	Biological Oxygen Demand (15 Day)	9600
	%BOD/COD	68.57
	Biological Oxygen Demand (20 Day)	11000
	%BOD/COD	78.57

12.3. Bioaccumulation

No information available.

12.4. Other Adverse Effects

No information available

13. Disposal Considerations

13.1. Waste Treatment Methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

14. Transport Information

DOT	NOT REGULATED
<u>TDG</u>	NOT REGULATED
MEX	NOT REGULATED
ICAO (air)	NOT REGULATED

Revision date 18-Jan-2019



Product code 443132

Product name ANSULITE 3x6 AR-AFFF (A364)

PAGE 8/9

IATA NOT REGULATED

NOT REGULATED **IMDG**

15. Regulatory Information

15.1. International Inventories

TSCA Complies DSL/NDSL Does not comply Does not comply **ENCS IECSC** Does not comply Does not comply **KECL**

PICCS Does not comply Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

15.3. US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals



/ Product name ANSULITE 3x6 / AR-AFFF (A364)

PAGE 9/9

Chemical name	California Proposition 65
Perfluorooctanoic acid - 335-67-1	Developmental Toxicity
Methylene chloride - 75-09-2	Carcinogen
1,3-Dichloropropene - 542-75-6	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-(2-Butoxyethoxy)ethanol 112-34-5	Х	-	Х
Hexamethylenetetramine 100-97-0	Х	-	-
Methylene chloride 75-09-2	Х	Х	Х
1,3-Dichloropropene 542-75-6	Х	Х	Х

16. Other information, including date of preparation of the last revision

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and chemical properties -

HMIS Health Hazards 1 Flammability 0 Physical Hazards 0 Personal Protection X

Revision date 18-Jan-2019

Revision note SDS sections updated, 12.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Revision date 18-Jan-2019

Version 9